


PENDING CLAIMS
 Application No.: 09/937,314
 Attorney Docket No. 05725.0932-00000
 Filed: September 24, 2001

133. A method of making a mascara comprising including in said mascara:

- (i) at least one volatile solvent,
- (ii) at least one polymer chosen from polymers of following formula (I):



in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom;

- (iii) water;
- (iv) at least one coloring agent; and
- (v) at least one preservative.

134. The method for making a mascara according to claim 133, wherein said at least one volatile solvent is chosen from isododecane.

135. The method for making a mascara according to claim 134, wherein said at least one polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

136. The method for making a mascara according to claim 135, wherein said mascara further comprises PVP.

137. The method for making a mascara according to claim 133, wherein said mascara further comprises PVP.


138. The method of making a mascara according to claim 133, further comprising a liquid fatty phase structured by said at least one polymer.

139. A method of making a mascara comprising including in said mascara:

- (i) at least one volatile solvent;
- (ii) at least one polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
- (iii) water;
- (iv) at least one coloring agent; and
- (v) at least one preservative.

140. A method for making up eyelashes comprising applying to said eyelashes a mascara comprising:

- (i) at least one volatile solvent;
- (ii) at least one polymer chosen from polymers of following formula (I):



in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom;

- (iii) water;
- (iv) at least one coloring agent; and

- (v) at least one preservative.

141. The method for making up eyelashes according to claim 140, wherein said at least one volatile solvent is chosen from isododecane.

142. The method for making up eyelashes according to claim 141, wherein said at least one polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

143. The method for making up eyelashes according to claim 142, wherein said mascara further comprises PVP.

144. The method for making up eyelashes according to claim 140, wherein said mascara further comprises PVP.

145. The method for making up eyelashes according to claim 140, wherein said mascara further comprises a liquid fatty phase structured by said at least one polymer.


146. A method for making up eyelashes comprising applying to said eyelashes a mascara comprising:

- (i) at least one volatile solvent;
- (ii) at least one polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
- (iii) water;

- (iv) at least one coloring agent; and
- (v) at least one preservative.

147. A method for making a mascara comprising mixing:

- (i) at least one volatile solvent;
- (ii) at least one polymer chosen from polymers of following formula (I):



in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom;

- (iii) water;

- (iv) at least one coloring agent;
- (v) at least one preservative; and
- (vi) at least one neutralizing agent.

148. The method for making a mascara according to claim 147, wherein said at least one volatile solvent is chosen from isododecane.

149. The method for making a mascara according to claim 148, wherein said at least one polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

150. The method for making a mascara according to claim 149 wherein said mascara further comprises PVP.

151. The method for making a mascara according to claim 148, wherein said mascara further comprises PVP.

152. The method for making a mascara according to claim 147, wherein said mascara further comprises a liquid fatty phase structured by said at least one polymer.

153. A method for making a mascara comprising mixing:

- (i) at least one volatile solvent;
- (ii) at least one polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;

- (iii) water;
- (iv) at least one coloring agent;
- (v) at least one preservative; and
- (vi) at least one neutralizing agent.